

**CC7220-1**

**LA WEB DE DATOS**

**PRIMAVERA 2024**

**LECTURE 3: RDF SCHEMA (RDFS) AND SEMANTICS**

Aidan Hogan

aidhog@gmail.com

LAST TIME ...

# SEMANTIC WEB: DATA


## DATA:

Ireland



(Ireland,partOf,Europe)  
 (Ireland,isA,Country)  
 (Ireland,capital,Dublin)

Dublin



(Ireland,capital,Dublin)  
 (Dublin,population,1000000)

LOGIC:  $“(b, \text{capital}, a) \rightarrow (a, \text{partOf}, b)”$   
 $“(a, \text{partOf}, b), (b, \text{partOf}, c) \rightarrow (a, \text{partOf}, c)”$


QUERY:  $“(x, \text{partOf}, y)?”$

OUTPUT:  $\{(x \mapsto \text{Ireland}, y \mapsto \text{Europe}),$   
 $(x \mapsto \text{Dublin}, y \mapsto \text{Ireland}),$   
 $(x \mapsto \text{Dublin}, y \mapsto \text{Europe})\}$




# RDF OFTEN DRAWN AS A (DIRECTED, LABELLED) GRAPH

<i>subject</i>	<i>predicate</i>	<i>object</i>
Ireland	partOf	Europe
Ireland	a	Country
Ireland	capital	Dublin
Dublin	population	1,000,000




# RDF PROPERTIES

- RDF Terms used as predicate
  - `rdf:type`, `ex:firstMovie`, `ex:stars`, etc.



# RDF CLASSES


- Used to conceptually group resources
  - `ex:Movie`, `ex:Actor`, `ex:Series`, etc.
  - Uses predicate `rdf:type` to type a resource



TODAY'S TOPIC ...

# SEMANTIC WEB: LOGIC

DATA:

Ireland 

(Ireland,partOf,Europe)  
 (Ireland,isA,Country)  
 (Ireland,capital,Dublin)


Dublin 

(Ireland,capital,Dublin)  
 (Dublin,population,1000000)

LOGIC:  $“(b, \text{capital}, a) \rightarrow (a, \text{partOf}, b)”$   
 $“(a, \text{partOf}, b), (b, \text{partOf}, c) \rightarrow (a, \text{partOf}, c)”$

QUERY:  $“(x, \text{partOf}, y)”$

OUTPUT:  $\{(x \mapsto \text{Ireland}, y \mapsto \text{Europe}),$   
 $(x \mapsto \text{Dublin}, y \mapsto \text{Ireland}),$   
 $(x \mapsto \text{Dublin}, y \mapsto \text{Europe})\}$





# HOW TO CAPTURE LOGIC?

How should we capture logic on the Semantic Web?

LOGIC:                   “(*b*,capital,*a*) → (*a*,partOf,*b*)”  
                          “(*a*,partOf,*b*), (*b*,partOf,*c*) → (*a*,partOf,*c*)”

# SEMANTIC WEB ANSWER: SCHEMA/ONTOLOGIES

- Instead of rules, we can use RDF!
- Define relationships between classes and properties

What sorts of relationships might be useful to define between the following **classes** and **properties**?

Classes (in blue):  
ex:Town  
ex:City  
ex:Country  
ex:Place  
foaf:Person  
ex:CapitalCity


Properties (in orange):  
ex:hasCapitalCity  
ex:hasPart  
foaf:familyName  
ex:hasCity  
ex:containsPlace

# CLASS HIERARCHY

- Class **c** is a **sub-class** of Class **d**
  - If  $(x, \text{rdf:type}, c)$  then  $(x, \text{rdf:type}, d)$ ,

*Example: if `ex:CapitalCity` sub-class of `ex:City`  
and if  $(\text{ex:Dublin}, \text{rdf:type}, \text{ex:CapitalCity})$   
then  $(\text{ex:Dublin}, \text{rdf:type}, \text{ex:City})$*

Which classes would be **sub-classes** of each other?




# PROPERTY HIERARCHY

- Property  $p$  is a sub-property of  $q$ 
  - If  $(x, p, y)$  then  $(x, q, y)$

*Example: if `ex:hasCapitalCity` sub-property of `ex:hasCity`  
and if  $(\text{ex:Irland}, \text{ex:hasCapitalCity}, \text{ex:Dublin})$   
then  $(\text{ex:Irland}, \text{ex:hasCity}, \text{ex:Dublin})$*

Which properties would be sub-properties of each other?




# DOMAIN OF PROPERTIES

- Property  $p$  has domain class  $c$ 
  - If  $(x, p, y)$  then  $(x, \text{rdf:type}, c)$

*Example: if foaf:familyName has domain foaf:Person  
and if (ex:Aidan, foaf:familyName, "Hogan")  
then (ex:Aidan, rdf:type, foaf:Person)*

Which properties would have which classes as domain?




# RANGE OF PROPERTIES

- Property  $p$  has **range** class  $c$ 
  - If  $(x, p, y)$  then  $(y, \text{rdf:type}, c)$

*Example: if  $\text{ex:hasCity}$  has range  $\text{ex:City}$   
and if  $(\text{ex:Ireland}, \text{ex:hasCity}, \text{ex:Dublin})$   
then  $(\text{ex:Dublin}, \text{rdf:type}, \text{ex:City})$*

Which properties would have which classes as **range**?



## TRADE-OFF: MORE SPECIFIC / LESS REUSABLE

- More specific → more conclusions
- Less specific → more reusable

Example: `ex:hasCapitalCity` has **domain** `ex:Country`

**PRO:** Know that anything that has a capital city is a country

**CON:** Cannot use for capitals of states, regions, etc.

# TRADE-OFF: MORE SPECIFIC / LESS REUSABLE

- Another example:
  - ex: Mayor **sub-class** of foaf:Person



## **Bosco the dog**

Mayor of Sunol, California

1981–1994

R.I.P.



# TRADE-OFF: MORE SPECIFIC / LESS REUSABLE

- Another example:
  - ex:spouse has domain/range foaf:Person



## Erika Eiffel

Married Eiffel Tower in 2007

Item Discussion

**Erika Eiffel** (Q509934)

American archer

spouse Eiffel tower  
start time 2007  
▶ 1 reference

# BEWARE OF “HIDDEN” DEFINITIONS!

## FOAF Vocabulary Specification 0.99

Namespace Document 14 January 2014 - *Paddington Edition*

Property: foaf:img

*image* - An image that can be used to represent some thing (ie. those depictions which are particularly representative of something, eg. one's photo on a homepage).

**Status:** testing

**Domain:** having this property implies being a [Person](#)

**Range:** every value of this property is a [Image](#)

Any potential problems here?

(ex: Dublin, foaf:img, ex: Dublin\_night.jpg)

Choose names of properties/classes carefully!

RDFS: RDF SCHEMA

# RDFS (1.1): A WEB STANDARD

<http://www.w3.org/TR/rdf-schema/>



## RDF Schema 1.1

W3C Recommendation 25 February 2014

**This version:**

<http://www.w3.org/TR/2014/REC-rdf-schema-20140225/>

**Latest published version:**

<http://www.w3.org/TR/rdf-schema/>

**Previous version:**

<http://www.w3.org/TR/2014/PER-rdf-schema-20140109/>

**Editors:**

[Dan Brickley](#), Google  
R.V. Guha, Google

**Previous Editors:**

Brian McBride

Please check the [errata](#) for any errors or issues reported since publication.

This document is also available in this non-normative format: [diff w.r.t. 2004 Recommendation](#)

# RDFS: DESCRIBE “SCHEMA” IN RDF

@prefix rdfs: <http://www.w3.org/2000/01/rdf-schema#>.


- **Sub-class**
  - `ex:CapitalCity rdfs:subClassOf ex:City .`
- **Sub-property**
  - `ex:hasCapitalCity rdfs:subPropertyOf ex:hasCity .`
- **Domain**
  - `foaf:familyName rdfs:domain foaf:Person .`
- **Range**
  - `ex:hasCapitalCity rdfs:range ex:CapitalCity .`
  - `foaf:familyName rdfs:range xsd:string .`

NOTE: WHY CALLED "DOMAIN" AND "RANGE"?

Any guesses why RDFS calls these "domain" and "range"?


$$f: X \rightarrow Y$$

- $X$ : domain of the function
- $Y$ : co-domain of the function
- $\{f(x) \mid x \in X\}$ : image or **range** of the function



# SO LET'S BUILD AN RDF SCHEMA ...

Let's model an RDF Schema for movies, including different types of movies (horror, comedy, action), some different types of people involved (actor, producer, director), and how they are related.



*(an example)*

BUT WHAT, E.G., IS THE DOMAIN OF ... ?





BUT WHAT, E.G., IS THE **DOMAIN** OF ... ?



- `rdfs:Resource` the class of everything!
  - Yes, even itself!
    - `(rdfs:Resource, rdf:type, rdfs:Resource)`

(Giving domain/range/sub-class as `rdfs:Resource` says nothing new!)


## SOME META-CLASSES ...

- **rdf:Property**: class of all properties
  - (ex:hasCity, rdf:type, rdf:Property)
- **rdfs:Class**: class of all classes
  - (ex:City, rdf:type, rdfs:Class)

# NOTE: CLASS OR INSTANCE?



Would you define `ex:Oak` ("roble"@es) as a class or an instance?



Classes can also "act" as instances: no strong distinction

`rdf:type` is akin to  $\in$ , `rdfs:subClassOf` is akin to  $\subseteq$  \*


Which is transitive: `rdf:type` or `rdfs:subClassOf`?

`rdfs:subClassOf`

\* Slight but useful simplification for now as classes are not quite sets; we will return to this topic later.


# REASONING WITH RDFS

# WHAT IS “REASONING”?



What general kinds of logical reasoning can we consider?

# WHAT IS “REASONING”?



*All movie directors are human.  
Anthony C. Ferrante is a movie director.  
∴ Anthony C. Ferrante **must be** human.*

**Deductive Reasoning:** Make logical conclusion from rules/premises

# WHAT IS “REASONING”?



**Inductive Reasoning:** Learn approximate rule(s) from premises

# WHAT IS “REASONING”?



*Fred saw a movie with sharks in tornados.  
All Sharknado movies have sharks in tornados.  
∴ Fred **may have** seen a Sharknado movie.*

**Abductive Reasoning:** Guess a premise/explanation



# REASONING: SUMMARY

- (1) If  $(x, \text{rdf:type}, \text{ex:SharknadoMovie})$  then  $(x, \text{ex:depicts}, \text{ex:SharksInTornados})$
- (2)  $(\text{ex:ItsAboutTime}, \text{rdf:type}, \text{ex:SharknadoMovie})$
- (3)  $(\text{ex:ItsAboutTime}, \text{ex:depicts}, \text{ex:SharksInTornados})$

**Deductive Reasoning:** Given (1,2), conclude (3).

**Inductive Reasoning:**

???

**Abductive Reasoning:**

???

# REASONING: SUMMARY

- (1) If  $(x, \text{rdf:type}, \text{ex:SharknadoMovie})$  then  $(x, \text{ex:depicts}, \text{ex:SharksInTornados})$
- (2)  $(\text{ex:ItsAboutTime}, \text{rdf:type}, \text{ex:SharknadoMovie})$
- (3)  $(\text{ex:ItsAboutTime}, \text{ex:depicts}, \text{ex:SharksInTornados})$


**Deductive Reasoning:** Given (1,2), conclude (3).

**Inductive Reasoning:** Given (2,3) (and similar such examples), propose (1).

**Abductive Reasoning:** Given (1,3), propose (2).

# RDFS REASONING IS DEDUCTIVE ...

WHAT IS "REASONING"?




*All movie directors are human.  
Anthony C. Ferrante is a movie director.  
∴ Anthony C. Ferrante **must be human.***

**Deductive Reasoning:** Make logical conclusion from rules/premises

... THE ONLY FORM OF REASONING HERE THAT IS "CERTAIN"


# WHAT CONCLUSIONS CAN WE DEDUCE?



Given the above schema, what can we deduce from ...

`ex:EricRoberts` — `mov:starredIn` → `ex:Sharktopus`

# SOME OF THE CONCLUSIONS ...



- Not shown (for the sake of my/our sanity):
  - Everything is of type `rdfs:Resource`
  - All classes are sub-class of `rdfs:Resource`
  - RDF/RDFS properties are of type `rdf:Property`

SHARKTOPUS JUST ONE MOVIE ...




ex:EricRoberts

— mov:starredIn →

ex:Sharktopus

# RDFS DEFINITIONS APPLY TO ANY MOVIE ...




Given the above schema, what can we deduce from ...

`ex:IvaHasperger`

`mov:starredIn`

`ex:Dinoshark`

# RDFS DEFINITIONS APPLY TO ANY MOVIE ...



- Not shown (for the sake of my/our sanity):
  - Everything is of type `rdfs:Resource`
  - All classes are sub-class of `rdfs:Resource`
  - RDF/RDFS properties are of type `rdf:Property`



# APPLY RDFS REASONING USING “RULES”

ID	if $G$ matches	then $G$ RDFS $_D$ -entails
rdfD1	$?x ?p ?l . (?l \text{ a literal with datatype IRI } dt(?l) \in D)$	$?x ?p \_ :b . \_ :b \text{ a } dt(?l) .$
rdfD2	$?x ?p ?y .$	$?p \text{ a } rdf:Property .$
rdfs1	$?u \in D$	$?u \text{ a } rdfs:Datatype .$
rdfs2	$?p rdfs:domain ?c . ?x ?p ?y .$	$?x \text{ a } ?c .$
rdfs3	$?p rdfs:range ?c . ?x ?p ?y .$	???
rdfs4a	$?x ?p ?y .$	$?x \text{ a } rdfs:Resource .$
rdfs4b	$?x ?p ?y .$	$?y \text{ a } rdfs:Resource .$
rdfs5	$?p rdfs:subPropertyOf ?q . ?x ?p ?y .$	???
rdfs6	$?p \text{ a } rdf:Property .$	$?p rdfs:subPropertyOf ?p .$
rdfs7	$?p rdfs:subPropertyOf ?q . ?q rdfs:subPropertyOf ?r .$	$?p rdfs:subPropertyOf ?r .$
rdfs8	$?c \text{ a } rdfs:Class .$	$?c rdfs:subClassOf rdfs:Resource .$
rdfs9	$?c rdfs:subClassOf ?d . ?x \text{ a } ?c .$	$?x \text{ a } ?d .$
rdfs10	$?c \text{ a } rdfs:Class .$	$?c rdfs:subClassOf ?c .$
rdfs11	$?c rdfs:subClassOf ?d . ?d rdfs:subClassOf ?e .$	???
rdfs12	$?p \text{ a } rdfs:ContainerMembershipProperty .$	$?p rdfs:subPropertyOf rdfs:member .$
rdfs13	$?d \text{ a } rdfs:Datatype .$	$?d rdfs:subClassOf rdf:Literal .$

(Don't worry about rdfD1, rdfs1, rdfs12, rdfs13)

# APPLY RDFS REASONING USING “RULES”

ID	if $G$ matches	then $G$ RDFS $_D$ -entails
rdfD1	?x ?p ?l . (?l a literal with datatype IRI dt(?l) $\in D$ )	?x ?p _:b . _:b a dt(?l) .
rdfD2	?x ?p ?y .	?p a rdf:Property .
rdfs1	?u $\in D$	?u a rdfs:Datatype .
rdfs2	?p rdfs:domain ?c . ?x ?p ?y .	?x a ?c .
rdfs3	?p rdfs:range ?c . ?x ?p ?y .	?y a ?c .
rdfs4a	?x ?p ?y .	?x a rdfs:Resource .
rdfs4b	?x ?p ?y .	?y a rdfs:Resource .
rdfs5	?p rdfs:subPropertyOf ?q . ?x ?p ?y .	?x ?q ?y .
rdfs6	?p a rdf:Property .	?p rdfs:subPropertyOf ?p .
rdfs7	?p rdfs:subPropertyOf ?q . ?q rdfs:subPropertyOf ?r .	?p rdfs:subPropertyOf ?r .
rdfs8	?c a rdfs:Class .	?c rdfs:subClassOf rdfs:Resource .
rdfs9	?c rdfs:subClassOf ?d . ?x a ?c .	?x a ?d .
rdfs10	?c a rdfs:Class .	?c rdfs:subClassOf ?c .
rdfs11	?c rdfs:subClassOf ?d . ?d rdfs:subClassOf ?e .	?c rdfs:subClassOf ?e .
rdfs12	?p a rdfs:ContainerMembershipProperty .	?p rdfs:subPropertyOf rdfs:member .
rdfs13	?d a rdfs:Datatype .	?d rdfs:subClassOf rdf:Literal .

(Don't worry about rdfD1, rdfs1, rdfs12, rdfs13)

# AXIOMATIC TRIPLES: ALWAYS TRUE IN RDFS

```

rdf:type          rdfs:domain rdfs:Resource ; rdfs:range rdfs:Class .
rdfs:domain      rdfs:domain rdfs:Property  ; rdfs:range rdfs:Class .
rdfs:range       rdfs:domain rdfs:Property  ; rdfs:range rdfs:Class .
rdfs:subPropertyOf rdfs:domain rdfs:Property  ; rdfs:range rdfs:Property .
rdfs:subClassOf  rdfs:domain rdfs:Class      ; rdfs:range rdfs:Class .
rdf:subject      rdfs:domain rdfs:Statement ; rdfs:range rdfs:Resource .
rdf:predicate    rdfs:domain rdfs:Statement ; rdfs:range rdfs:Resource .
rdf:object       rdfs:domain rdfs:Statement ; rdfs:range rdfs:Resource .
rdfs:member      rdfs:domain rdfs:Resource  ; rdfs:range rdfs:Resource .
rdf:first      rdfs:domain rdfs:List       ; rdfs:range rdfs:Resource .
rdf:rest      rdfs:domain rdfs:List       ; rdfs:range rdfs:List .
rdfs:seeAlso     rdfs:domain rdfs:Resource  ; rdfs:range rdfs:Resource .
rdfs:isDefinedBy rdfs:domain rdfs:Resource  ; rdfs:range rdfs:Resource .
rdfs:comment     rdfs:domain rdfs:Resource  ; rdfs:range rdfs:Literal .
rdfs:label       rdfs:domain rdfs:Resource  ; rdfs:range rdfs:Literal .
rdf:value       rdfs:domain rdfs:Resource  ; rdfs:range rdfs:Resource .
rdf:_n          rdfs:domain rdfs:Resource  ; rdfs:range rdfs:Resource .

rdf:Alt          rdfs:subClassOf rdfs:Container .
rdf:Bag          rdfs:subClassOf rdfs:Container .
rdf:Seq         rdfs:subClassOf rdfs:Container .
rdfs:ContainerMembershipProperty rdfs:subClassOf rdfs:Property .
rdfs:Datatype   rdfs:subClassOf rdfs:Class .

rdfs:isDefinedBy rdfs:subPropertyOf rdfs:seeAlso .
rdf:_n rdf:type rdfs:ContainerMembershipProperty .
```

(Don't worry about greyed-out triples)

# REASONING IN RDFS OVER RDF GRAPH $G$

1. Add axiomatic triples to  $G$
2. Apply rules exhaustively, adding conclusions to  $G$ , until nothing new found

Will this always finish? Or can it run forever?

So long as we do not “invent” new terms, and axiomatic triples are finite, the process must end once  $G$  has all possible combinations of terms as triples (or before).

# SEMANTIC WEB: LOGIC

DATA:

Ireland 

(Ireland,partOf,Europe)  
(Ireland,isA,Country)  
(Ireland,capital,Dublin)

Dublin 

(Ireland,capital,Dublin)  
(Dublin,population,1000000)

LOGIC:  $(b, \text{capital}, a) \rightarrow (a, \text{partOf}, b)$   
 $(a, \text{partOf}, b), (b, \text{partOf}, c) \rightarrow (a, \text{partOf}, c)$

QUERY:  $(x, \text{partOf}, y)?$

OUTPUT:  $\{(x \mapsto \text{Ireland}, y \mapsto \text{Europe}),$   
 $(x \mapsto \text{Dublin}, y \mapsto \text{Ireland}),$   
 $(x \mapsto \text{Dublin}, y \mapsto \text{Europe})\}$



# RDFS (1.1): A WEB STANDARD

<http://www.w3.org/TR/rdf-schema/>



## RDF Schema 1.1

W3C Recommendation 25 February 2014

**This version:**

<http://www.w3.org/TR/2014/REC-rdf-schema-20140225/>

**Latest published version:**

<http://www.w3.org/TR/rdf-schema/>

**Previous version:**

<http://www.w3.org/TR/2014/PER-rdf-schema-20140109/>

**Editors:**

[Dan Brickley](#), Google  
R.V. Guha, Google

**Previous Editors:**

Brian McBride

Please check the [errata](#) for any errors or issues reported since publication.

This document is also available in this non-normative format: [diff w.r.t. 2004 Recommendation](#)

QUESTIONS?

